

# SURFACE SOLUTIONS



HOMOGENEOUS VINYL

MODERN, CLASSICAL & STYLISH  
FLOOR, WALL & WINDOW TREATMENTS.




## TARKETT



Composed of a single layer of vinyl, compact homogeneous vinyl floors are glued to the sub-floor and welded. Compact homogeneous vinyl floorings are tough and ultra-durable solutions for heavy and very heavy traffic areas, especially in healthcare and education for their resistance and ease of cleaning. Acoustic, static-conductive, static-dissipative and anti-slip versions are also available.

# Contract Plus



## **NON-LINEAR PATTERN, SUBTLE & CONTEMPORARY DESIGN.**

Ideal for heavy-trafficked areas, Contract Plus is a durable, multi-purpose vinyl floor available in 24 different colours.

### Specifications

Product Type:	Homogeneous Poly ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%



# Contract Plus

**COLD GREY - 010**



## Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%

# Contract Plus

## WARM SAND - 017




### Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%



# Contract Plus

## LIGHT BLUE - 024



### Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%

# Contract Plus

**BLUE - 025**



## Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%

# Contract Plus

## BEIGE - 014



### Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%



# Contract Plus

## BROWN - 15



### Specifications

Product Type:	Homogeneous Poly (vinyl chloride) ISO 10581
Commercial Classification:	34 Very Heavy (ISO 10874)
Industrial Classification:	43 Heavy (ISO 10874)
Surface Treatment:	PU Standard
Total Thickness:	2 mm (ISO 24346)
Total Weight:	3034 g/m <sup>2</sup>
Binder Content:	Type II (ISO 10581)
Castor Chair Effect:	Suitable (ISO 4918)
Chemical Resistance:	Good Resistance (ISO 26987)
Colour Fastness to Light:	>6
Phthalate Content:	100% Phthalate-free
Recyclability:	100%

# Contract Plus





MODERN, CLASSICAL & STYLISH  
FLOOR, WALL & WINDOW TREATMENTS.

